


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

commercial removal tv

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles** Results 11 - 20 of about 58,600 for commercial removal tv. (0.12 seconds)

[Relationship of the extended tau haplotype to tau biochemistry and neuropathology in progressive ...](#) - [all 4 versions »](#)

WK Liu, TV Le, J Adamson, M Baker, N Cookson, J ... - Annals of Neurology, 2001 - doi.wiley.com
 ... epitope in the first 11 amino acids of A . After **removal** of paraffin ... Primary antibodies were detected with a **commercial** avidin-biotin peroxidase kit (Vector Labs ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Removal and recovery of chromium from plating waste using chemically activated carbon](#) - [all 3 versions »](#)

K Muthukumaran, N Balasubramanian, TV Ramakrishna - Metal Finishing, 1995 - Elsevier
 ... by K. Muthukumaran, N. Balasubramanian, and TV Ramakrishna, Department ... The **removal** of Cr(VI) using acti- vated ... Zoltek 3 reported that maximum ad- sorption of Cr ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PS\] Logo Detection in Digital Video](#)

T Hargrove - www-prima.inrialpes.fr

... Imagine you tell your computer to record all your favorite **TV** shows, and later you watch them on your **TV** without any commercials. ... **commercial removal** package. ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Scheduling Commercial Videotapes in Broadcast Television](#) - [all 21 versions »](#)

S Bollapragada, MR Bussieck, S Mallik - Operations Research, 2004 - INFORMS
 ... 679 Page 2. Bollapragada, Bussieck, and Mallik: Scheduling **Commercial** Videotapes in Broadcast Television 680 Operations Research 52(5), pp. ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Automatic circuit and method for editing commercial messages from television signals](#) - [all 7 versions »](#)

HR Johnston, MERV Koombes... - US Patent 4,390,904, 1983 - Google Patents
 ... to restart the television broadcast signals. timing interval each time another trigger signal is re- The **removal** or editing of **commercial** messages from ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#)

[Heat treatments control extension growth and enhance microbial disinfection of minimally processed ...](#) - [all 3 versions »](#)

MI Cantwell, G Hong, TV Suslow - HortScience, 2001 - ucce.ucdavis.edu
 ... MI Cantwell 1 , G. Hong 2 , and TV Suslow 3 ... and (4) extension growth or "telescoping" after complete stem **removal**. All forms may occur in **commercial** product ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Fabrication and characterization of integrated optical waveguides in sulfide chalcogenide glasses](#) - [all 11 versions »](#)

JF Viens, C Meneghini, A Villeneuve, TV Galstian, ... - Lightwave Technology, Journal of, 1999 - ieeeexplore.ieee.org
 ... C. Meneghini, A. Villeneuve, TV Galstian, EJ Knystautas ... by a purification of the

commercial bulk glasses, using distillation to **remove** carbon impurities. ...

[Cited by 54](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Speaker Diarisation for Broadcast News](#) - [all 9 versions »](#)

SE Tranter, DA Reynolds - ODYSSEY04-The Speaker and Language Recognition Workshop, 2004 - ISCA ... World (PRI TWD); and four are **TV** shows, namely ... **Advert removal** The advert detection stage is similar to ... are then converted into postulated **commercial** breaks by ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[Process for making stable sludge-free ammonium polyphosphate fertilizer solutions](#) - [all 2 versions »](#)

TV Burns, SO Pierres - US Patent 3,988,140, 1976 - [freepatentsonline.com](#)
... in an unfilterable mixture the process of the invention permits crystal growth to a size which permits effective **removal** by **commercial** filtration systems and ...

[Cited by 7](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Modulation of glial activation by astrocyte-derived protein S100B: differential responses of ...](#) - [all 5 versions »](#)

TV Petrova, J Hu, LJ Van Eldik - Brain Research, 2000 - Elsevier
... However, after incubation of S100B with endotoxin-**removal** resin, the NO production was ... of BV-2 cells with lipid A and two different **commercial** preparations of ...

[Cited by 41](#) - [Related Articles](#) - [Web Search](#)

Key authors: [K Srinivasan](#) - [N Balasubraman...](#) - [T Ramakrishna](#) - [S Babel](#) - [K Periasamy](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

commercial removal tv

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - **Recent articles** Results 1 - 10 of about 686 for **boundary correction timeshift television**. (0.16 seconds)

The use of polymers for model investigations based on dynamic photoelasticity

LK Malyshev - Mechanics of Composite Materials, 1972 - Springer

... isotropic, and homogeneous materials, and the **correction** of these ... The **boundary** conditions are self-similar and do not ... media at v_v ; 1 is the **time shift** of the ...

[Related Articles](#) - [Web Search](#)

Functional imaging of the monkey brain - all 3 versions »

NK Logothetis, H Guggenberger, S Peled, J Pauls - Nature Neuroscience, 1999 - nature.com

... vertical meridian in macaques coincides with the **boundaries** of areas ... Optical **corrections**. ... 480 VGA output was converted (Professional Graphic/TV Converter) to a ...

[Cited by 214](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Signal transient improvement device having a delay circuit in which the amount of delay is ... - all 2 versions »

L Doornhein, J Kettenis - US Patent 5,196,736, 1993 - freepatentsonline.com

... to about 800 ns, the maximum **time-shift** desired amounts ... various circuit elements of the **correction** circuit have ... a shift register and the **boundary** between the ...

[Cited by 4](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

Robust Plateau Removed Synchronization Techniques for Multiple-antenna OFDM-Based DVB-H Receivers

ZW Zheng, D Huang - Consumer Electronics, IEEE Transactions on, 2007 - ieeeexplore.ieee.org

... channel equalization and forward error **correction** (FEC) techniques [1 ... estimation (where the symbol **boundary** lies) should be ... **time shift** which is assumed to be an ...

[Related Articles](#) - [Web Search](#)

Elastic constants of borocarbides. New approach to acoustic measurement technique - all 4 versions »

EA Masalitn, F VD, KR Zhekov, AN Zhoibenko, TV ... - Low Temperature Physics, 2003 - link.aip.org

... of the equation where is the **time shift** of the ... where is the reflection coefficient at the **boundary** (we assume ... At low damping the **correction** can be rather large ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

New semi-empirical approach to handle time-variable **boundary** conditions during sterilisation of non- ... - all 3 versions »

J Noronha, M Hendrickx, A Van Loey, P Tobback - Journal of Food Engineering, 1995 - Elsevier

... iiO numerical solution with apparent time (**time shift**); (iv) numerical ... and permitting the on-line **correction** of process ... Time-variable **boundary** conditions 253 ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Improved method for estimating shear wave reflection data from acquired compressional wave ... - all 3 versions »

TJ Fitch, SJ Laster, NR Goins, RS Spratt - EP Patent 0,309,152, 1992 - freepatentsonline.com

... S waves propagated normal to a reflection **boundary**). ... data after normalized movement (NMO) **correction** has been ... δV is estimated from a **time shift** statistics as ...

[Cached](#) - [Web Search](#)

ON THE RENORMALIZED FIELD THEORY OF NONLINEAR CRITICAL RELAXATION

HK JANSSEN - From: Phase Transitions to Chaos, Topics in Modern ... - books.google.com

... Note first that, due to the Dirichlet **boundary** condition, the ... To first order in a **time shift** δ , we find using ... Note that only one **correction** term of order (lil) ...

[Cited by 11](#) - [Related Articles](#) - [Web Search](#)

[PS] [Interaction between cloudiness and radiation Conclusion to Part](#) - [all 2 versions »](#)

EM Feigelson - IZVESTIYA-RUSSIAN ACADEMY OF SCIENCES ATMOSPHERIC AND ..., 1994 - eos.wdcb.ru

... on the water content, attitudes of cloud **boundaries**, and by ... to September 25 and 30

because of the **time shift** ... is suggested as well as the **correction** of the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [PL Direct](#)

[BOOK] [Timeshift: On Video Culture](#) - [all 2 versions »](#)

S Cubitt - 1991 - books.google.com

... Wyver. Thanks to Sarah Conibear for her painstaking **correction** of the ... 10 **Timeshift**

In most developed countries, the number of **[television]** sets approaches ...

[Cited by 43](#) - [Related Articles](#) - [Web Search](#)

Key authors: [N Logothetis](#) - [A Davydov](#) - [H Guggenberger](#) - [S Peled](#) - [J Pauls](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

boundary correction timeshift televis

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) - [Recent articles](#) Results **1 - 10** of about **16,500** for **boundary correction shift audio**. (0.40 seconds)

[The modulated lapped transform, its time-varying forms, and its applications to audio coding ... - all 3 versions »](#)

S Shlien - *Speech and Audio Processing*, IEEE Transactions on, 1997 - [ieeexplore.ieee.org](#)

... subbands must undergo a frequency inversion **correction** so that ... not missed; however, the proper time **shift** ensures the ... is to use the above **boundary** filters to ...

[Cited by 45](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[... of the wave-number/phase velocity spectrum of wall pressure beneath a turbulent boundary layer - all 4 versions »](#)

JAB Wills - *Journal of Fluid Mechanics Digital Archive*, 2006 - [Cambridge Univ Press](#)

... is used to predict a frequency spectrum **correction** for transducer ... FIGURE 2.

Boundary-layer velocity profile. ... differentiator network, giving a phase **shift** of ...

[Cited by 14](#) - [Related Articles](#) - [Web Search](#)

[Format for recording digital audio onto magnetic tape with enhanced editing and error correction ... - all 3 versions »](#)

K Barr, A Zak, M Ryle, D Brown - US Patent 5,321,561, 1994 - [freepatentsonline.com](#)

... each 10 bit word received from **shift** register 120. ... redundancy), and some redundant error **correction** data, such ... space 306 acts as a **boundary** between neighboring ...

[Cited by 1](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Forward error correction coding for hybrid AM in-band on-channel digital audio broadcasting systems - all 2 versions »](#)

BW Kroeger - US Patent 7,340,010, 2008 - [freepatentsonline.com](#)

... Forward error **correction** encoding and puncturing is ... conventional assuming Binary Phase **Shift** Keying (BPSK ... processed on interleaver Block **boundaries** (as opposed ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[A Tool for the Synchronization of Speech and Mouth Shapes: LIPS - all 3 versions »](#)

O Mella, D Fohr, L Martin, A Carlen - *Sixth International Conference on Spoken Language Processing*, 2000 - ISCA

... than those on the French cartoon, half of the **boundaries** have to be moved during the manual **correction** phase. The mean **shift** is 2.5 frames ,that is, 4 times ...

[Web Search](#)

[\[PDF\] Automatic Audio Segmentation: Segment Boundary and Structure Detection in Popular Music](#)

DIT Lidy, E Peiszer - [ifs.tuwien.ac.at](#)

... **audio** piece that is available. It seems reasonable to select this excerpt according to the musical structure in such a way that it starts at a segment **boundary** ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Image and audio sequence visualization and interaction mechanisms for structured video browsing and ...](#)

C Toklu, SP Liou - *Image Processing, 2000. Proceedings. 2000 International ...*, 2000 - [ieeexplore.ieee.org](#)

... This representation also facilitates **correction** of automatically computed ... the interface for selecting the **boundary** between two **audio** events and **shift** it up ...

[Related Articles](#) - [Web Search](#)

[The roles of pitch and higher formants in the perception of vowels](#)

H Fujisaki, T Kawashima - *Audio and Electroacoustics*, IEEE Transactions on, 1988 - [ieeexplore.ieee.org](#)

... de-emphasis. TABLE I RATIO OF RELATIVE **SHIFT** IN PERCEPTUAL **BOUNDARY** Fth TO ... HIGHER POLE **CORRECTION** KF, RELATIVE TO NEUTRAL VOWEL OF F3=2.5 KHZ, Fig. ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#)

[Lung sound cancellation method and apparatus - all 4 versions »](#)

MW Kroll - US Patent 4,672,977, 1987 - [Google Patents](#)

... inention which shows the electronic hase **shift** ... ca i cu i ation and **correction** steps; ...
when acoustic waves traveling in one medium encounter the **boundary** of a ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)


[High fidelity regenerative amplifier with phase **correction** circuit - all 2 versions »](#)

S Ohkuma - US Patent 5,053,721, 1991 - [freepatentsonline.com](#)

... establishing a frequency of 1 KHz as a **boundary**. ... possible, since the exemplified
various phase **correction** circuits are ... in that there is no sound **shift** even if ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

Key authors: [S Shlien](#) - [C Bregler](#) - [C Perkins](#) - [M Covell](#) - [M Slaney](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

boundary correction shift audio

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - **Recent articles** Results **1 - 10** of about **11,400** for **interactive boundary correction audio**. (1.12 seconds)

Image sequence analysis for emerging **interactive** multimedia services-the European COST 211 framework - all 11 versions »

AA Alatan, L Onural, M Wollborn, R Mech, E Tuncel, ... - Circuits and Systems for Video Technology, IEEE Transactions ..., 1998 - [iseeexplore.ieee.org](#)

... and **audio** signals to assist emerging **interactive** multimedia applications. ... and all pixels within a **correction** range of pixel with respect to the **boundary** of the ...

[Cited by 117](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

A survey of packet loss recovery techniques for streaming **audio** - all 35 versions »

C Perkins, O Hodson, V Hardman - Network, IEEE, 1998 - [iseeexplore.ieee.org](#)

... This problem is more acute for **interactive** applications: if ... **audio** data, as stored internally in an **audio** tool ... Forward Error **Correction** A number of forward error ...

[Cited by 329](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Videoabstract: a hybrid approach to generate semantically meaningful video summaries

C Toklu, SP Liou, M Das - Multimedia and Expo, 2000. ICME 2000. 2000 IEEE ..., 2000 - [iseeexplore.ieee.org](#)

... The **interactive** video organization environment provides three ... the spectrogram to facilitate **audio** event **correction**. ... Before the story **boundaries** are computed ...

[Cited by 16](#) - [Related Articles](#) - [Web Search](#)

An **interactive** Real-time System for the control of sound localization

M Bossi - Computer Music Journal, 1990 - JSTOR

... An **Interactive** Real-time System for the Control of ... and the characteristics of the room **boundaries**. ... sound source determines the Doppler **correction** factor g to ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

Interactive, TTS Supported Speech Message Composer for Large, Limited Vocabulary, but Open ...

G Olasz, G Németh, P Olasz, G Gordos - Sixth European Conference on Speech Communication and ..., 1999 - ISCA

INTERACTIVE, TTS SUPPORTED SPEECH MESSAGE COMPOSER FOR LARGE ... to mark sound and pitch **boundaries** in the ... **Corrections** (if necessary) can be done in amplitude and ...

[Web Search](#)

Intelligent Rotoscoping: A Semi-Automated **Interactive Boundary** Tracking Approach to Video ... - all 2 versions »

SR Holladay - 2007 - [contentdm.lib.byu.edu](#)

... real-time feedback and **correction** loop that ... Rotoscoping: A Semi-Automated **Interactive Boundary** Tracking Approach ... codes, data, artwork, video, **audio**, images or ...

[Cached](#) - [Web Search](#)

Survey of methods for modeling sound propagation in **interactive** virtual - all 2 versions »

T Funkhouser, N Tsingos, J Jot - 2003 - [citeseer.ist.psu.edu](#)

... Environment Systems (2003) (Make **Corrections**) (2 citations ... Chien, Carroll - 1980
3 **Interactive** acoustic modeling ... 1999 3 Time iterative **boundary** element method ...

[Cached](#) - [Web Search](#)

[PDF] Radio Oranje: Enhanced Access to a Historical Spoken Word Collection - all 2 versions »

L van der Werf, W Heeren, R Ordelman, F de Jong - Proceedings of CLIN17, 2007 - [eprints.eemcs.utwente.nl](#)

... T. and Gotz, G.(2004), An elastic **audio** slider for **interactive** speech skimming ... an hmm-based approach and spectral **boundary correction**, Proceedings of ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Intonational boundaries, speech repairs, and discourse markers: Modeling spoken dialog](#) - [all 21 versions »](#)

PA Heeman, JF Allen - Proc. ACL/EACL, 1997 - [acl.ldc.upenn.edu](#)

... 1 Introduction **Interactive** spoken dialog provides many new chal ... this model with speech
repair detection and **correction** and intonational **boundary** tone detec ...

[Cited by 45](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[PDF] [... Notes "Sounds Good to Me!" Computational Sound for Graphics, Virtual Reality, and Interactive ...](#) - [all 2 versions »](#)

T Funkhouser, JM Jot, C Technology, LN Tsingos - [cs.princeton.edu](#)

... as specular or glossy reflectors for sound. ... Accordingly, finite and **boundary** element
methods are not generally used for **interactive** virtual environment ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [C Perkins](#) - [O Hodson](#) - [V Hardman](#) - [E Wold](#) - [T Blum](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

interactive boundary correction audi

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google